





Guangdong Yohome Door Co., Ltd.

High-End Custom Door Systems for Global Hospitality & Luxury Residences

Who We Are

- ✓ Manufacturer based in Foshan, China's building materials hub
- √ 23,000m² smart production base | 128+ skilled workers ,engineers & global sales teams
- ✓ Serving 100+ hotels/residences across 30+ countries

Core Expertise

1 Hospitality Solutions

Turnkey fire-rated door systems (60/90/120 mins) for star hotels/resorts

Themed door customization for luxury resorts

2 Architectural Customization

PYTHA-compatible designs for villas/featured apartments

Fireproof & soundproof entrance solutions (35dB+ noise reduction)

③ Global Compliance

Certifications: UL (USA), CE (EU), BS-EN (UK), AS (Australia)

Fire doors tested by Intertek & ISO 9001 certified

Competitive Edge

✓ Triple Trust

ISO 9001 | FSC Sustainability | CE Environmental Standards

✓ Elite Collaboration

R&D partnerships with Fortune 500 construction firms

✓ Glocal Service

Multilingual project managers | On-site technical support



Fire Door Testing

intertek Total Quality. Assured.

Test Report

Report No.: 240112053GZC-001 Report Date: 2024-02-28

Horizontal Deflection (Positive values indicate movement into the furnace)

Time Mins	Door Frame Separation at Latch for Single Door (mm)	Maximum Pair Meeting Edge Displacemen t (mm)	Displacement perpendicular to door plane (mm)						
			D11	D12	D13	D14	D15	D16	D17
Deflection dur	ing fire endura	nce test:				300	TREE		
Initial	< 12.7	N/A	0	0	0	0	0	0	0
20	<12.7	N/A	0	10	15	25	25	15	15
40	<12.7	N/A	0	10	25	35	35	20	20
60	<12.7	N/A	0	10	35	35	35	30	20
Requirement	<12.7	N/A	Any portion of the edges adjacent to door frame shall not move more than the thickness of the door.						
Deflection after	er hose stream	test:							/
Hose Stream	<12.7	N/A	<82.5						
Requirement	< 12.7	N/A	Any portion of the edges adjacent to door frame shall not move more than the 1-1/2 times thickness of the door.						


Before Testing





Successful Test


intertek



intertek

Test Report


Report No.: 240112053G2C-001 Report Date: 2024-02-28



intertek

Test Report

Report No.: 240112053G2C-001 Report Date: 2024-02-28





Exposed Side During Hose Stream Test













20 Min Fire Door Certificate

intertek



This is a certificate of compliance to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the

Certificate of Compliance

You have been awarded:

Intertek WH US + C Mark for Category B -Doors - Additional Edge-sealing System Required

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R:27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597301

Listing Information: See following page(s)

Organization: Guangdong Yohome Door Co., Ltd. Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center No. 1, Shilong South Road, Guicheng Street, Nanhai District, Foshan, Guangdong 528299

Product: YOHOME - 20 MINUTES WITH HOSE STREAM FIRE RATED DOOR (MODEL YH-01) Spec ID: 77500 Fire Rating: 20 Min w/Hose Stream PP Cat B Door

Certification body: Intertek Testing Services NA, Inc. Initial registration: April 10, 2024 Date of expiry: December 31, 2024 Issue status: 1

> Authorized By: _ Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc. 545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

Guangdong Yohome Door Co., Ltd. | 77500 | Rev: Apr 10 2024 10:30AM | Uncontrolled Copy

intertek



This is a certificate of compliance to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed

Certificate of Compliance

You have been awarded:

Intertek WH US + C Mark for Category C -**Proprietary Frames**

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R:27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597302

Organization: Guangdong Yohome Door Co., Ltd. Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center No. 1, Shilong South Road, Guicheng Street, Nanhai District, Foshan, Guangdong 528299 China

Product: YOHOME - 20 MINUTES WITH HOSE STREAM FIRE RATED DOOR FRAME (MODEL YH-01) Spec ID: 77501 Fire Rating: 20 Min PP Category C Proprietary Frame Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc. Initial registration: April 10, 2024 Date of expiry: December 31, 2024 Issue status: 1

> Authorized By: Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc. 545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

Guangdong Yohome Door Co., Ltd. | 77501 | Rev: Apr 10 2024 10:34AM | Uncontrolled Copy













45 Min Fire Door Certificate

intertek



This is a certificate of compliance to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the

Certificate of Compliance

You have been awarded:

Intertek WH US + C Mark for Category B -Doors - Additional Edge-sealing System Required

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R:27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597303

Organization: Guangdong Yohome Door Co., Ltd. Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center No. 1, Shilong South Road, Guicheng Street, Nanhai District, Foshan, Guangdong 528299

Product: YOHOME - 45 MINUTES FIRE RATED DOOR (MODEL Spec ID: 77502

Fire Rating: 45 Min PP Category B Door Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc. Initial registration: April 10, 2024 Date of expiry: December 31, 2024 Issue status: 1

> Authorized By: _ Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc. 545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

Guangdong Yohome Door Co., Ltd. | 77502 | Rev: Apr 10 2024 10:51AM | Uncontrolled Copy

intertek



This is a certificate of compliance to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed

Certificate of Compliance

You have been awarded:

Intertek WH US + C Mark for Category C -**Proprietary Frames**

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R:27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597304

Organization: Guangdong Yohome Door Co., Ltd. Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center No. 1, Shilong South Road, Guicheng Street, Nanhai District, Foshan, Guangdong 528299 China

Product: YOHOME - 45 MINUTES FIRE RATED DOOR FRAME (MODEL YH-04) Spec ID: 77503 Fire Rating: 45 Min PP Category C Proprietary Frame Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc. Initial registration: April 10, 2024 Date of expiry: December 31, 2024 Issue status: 1

> Authorized By: Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc. 545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

Guangdong Yohome Door Co., Ltd. | 77503 | Rev: Apr 10 2024 10:55AM | Uncontrolled Copy













60 Min Fire Door Certificate

intertek



This is a certificate of compliance to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the

Certificate of Compliance

You have been awarded:

Intertek WH US + C Mark for Category B -Doors - Additional Edge-sealing System Required

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R:27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597305

Organization: Guangdong Yohome Door Co., Ltd. Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center No. 1, Shilong South Road, Guicheng Street, Nanhai District, Foshan, Guangdong 528299

Product: YOHOME - 60 MINUTES FIRE RATED DOOR (MODEL YH-02) Spec ID: 77457

Fire Rating: 60 Min PP Category B Door Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc. Initial registration: April 10, 2024 Date of expiry: December 31, 2024 Issue status: 1

> Authorized By: _ Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc. 545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

Guangdong Yohome Door Co., Ltd. | 77457 | Rev: Apr 10 2024 10:57AM | Uncontrolled Copy

intertek



This is a certificate of compliance to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed

Certificate of Compliance

You have been awarded:

Intertek WH US + C Mark for Category C -**Proprietary Frames**

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R:27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597306

Organization: Guangdong Yohome Door Co., Ltd. Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center No. 1, Shilong South Road, Guicheng Street, Nanhai District, Foshan, Guangdong 528299 China

Product: YOHOME - 60 MINUTES FIRE RATED DOOR FRAME (MODEL YH-02) Spec ID: 77499 Fire Rating: 60 Min PP Category C Proprietary Frame Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc. Initial registration: April 10, 2024 Date of expiry: December 31, 2024 Issue status: 1

> Authorized By: Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc. 545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

Guangdong Yohome Door Co., Ltd. | 77499 | Rev: Apr 10 2024 11:00AM | Uncontrolled Copy









AM FIRE

(MODEL



Fire Door Label

FIRE RATED DOOR CERTIFICAT



RATED DOOR (MODEL YH- Fire Rating: 20 Min

Spec ID: 77500

Fire Rating: 20 Min withose Stream PP Counting Information: Listing Information: See following page(s)

ATED DO

Spec ID: 77500

45 MINUTES FIRE RATED DOOR (MO)

autt.

H-04

Spec ID: 77502

Fire Rating: 45 Min

isting Information:

uucl.

(H-02)

bry B Door

ling page(s)

Spec ID: 77457

Fire Rating: 60 Min Product: YOHOME - 60 MIN

Listing Information:

YH-02)

Spec ID: 77457

Fire Rating: 60 Min PP Category B Door

Listing Information: See following page(s)



OR COVER

20 MINUTE FIRE DOOR FRAME CERTIFIED TO: NFPA 252, UL 10C, CAN/ULC S104

SEE INSTALLATION INSTRUCTIONS



20 MINUTE FIRE DOOR WITH HOSE STREAM
CERTIFIED TO: NFPA 252, UL 10C, CAN/ULC \$104 MIN. LATCH BOLT THROW - 1/2" SINGLE 3/4" PAIRS

WHI-

INSTALLATION OF A LISTED CAT. H GASKET SEE INSTALLATION INSTRUCTIONS



W/N 00319

DO NOT REMOVE OR COVER

45 MINUTE FIRE DOOR FRAME CERTIFIED TO: NFPA 252, UL 10C, CAN/ULC 5104

WHI-

SEE INSTALLATION INSTRUCTIONS



45 MINUTE FIRE DOOR
CERTIFIED TO: NFPA 252, UL 10C, CAN/ULC 5104
MIN. LATCH BOLT THROW - 1/2" SINGLE 3/4" PAIRS

SMOKE AND DRAFT CONTROL REQUIRES INSTALLATION OF A LISTED CAT. H GASKET SEE INSTALLATION INSTRUCTIONS



DO NOT REMOVE OR COVER

60 MINUTE FIRE DOOR FRAME CERTIFIED TO: NFPA 252, UL 10C, CAN/ULC \$104

WHI-

SEE INSTALLATION INSTRUCTIONS



60 MINUTE FIRE DOOR CERTIFIED TO: NFPA 252, UL 10C, CAN/ULC \$104 MINIMUM LATCH BOLT THROW 1/2" SINGLE 3/4" PAIRS

INSTALLATION OF A LISTED CAT. H GASKET SEE INSTALLATION INSTRUCTIONS

FIRE RATED DOOR LABELS





















FIRE RESISTANCE TEST REPORT

DOUBLE-LEAF COMPOSITE TIMBER DOOR with TWO GLAZED ELEMENTS & SINGLE-LEAF COMPOSITE TIMBER DOOR

in accordance with BS EN 1634-1: 2008

Test Sponsor:

Guangdong Yohome Door Co, Ltd.

Forte Testing and Consultants Company Limited Test Laboratory:

Contact Information:

Flat 31, 5/F., My Loft, 9 Hoi Wing Road,

Tuen Mun, Hong Kong.

Tel: 852-2152 0638

Fax: 852-3186 273

Report Number: IT19-176

Date of Issue: 2020-01-08

HKAS has accredited this laboratory (Reg. No. HOKLAS 191) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. The results shown in this report were determined by this laboratory in accordance with terms of accreditation. Opinions and interpretations expressed herein are outside the scope of HOKLAS accreditation. This report may not be reproduced, except in full, without prior written approval from FORTE

HOKLAS Approved Signatory:

CHENG San Mei, Samm

intertek

GUANGDONG YOHOME DOOR CO., LTD

TEST REPORT

REVISED DATE

EN 1634-1:2014+A1:2018 Fire Resistance Testing on Single Leaf Single Action Timber Composite Fire Door, Model: YHENFD90, When Installed in Plasterboard Partition

REPORT NUMBER 241203110GZC-002

TEST DATE(S) 2024-12-06

ISSUE DATE

2025-08-01

PAGES 34





TTRF EN 1634-1 01b Effective date: 2024-2-22 © 2024 INTERTEK













Australia Fire Door Certificate





GUANGDONG YOHOME DOOR CO., LTD

TEST REPORT

AS 1530.4: 2014 Fire Resistance Testing on Single Leaf Single Action Timber Composite Fire Door, Model: YHASFD60, When Installed in Plasterboard Partition and Opening into the Furnace

REPORT NUMBER

241018010GZC-001

TEST DATE(S) 2024-10-18

ISSUE DATE 2024-12-12

PAGES





TTRF_AS 1530.4_b Effective date:2024-9-27 © 2024 INTERTEK





GUANGDONG YOHOME DOOR CO., LTD

TEST REPORT

SCOPE OF WORK

AS 1530.4: 2014 Fire Resistance Testing on Single Leaf Single Action Timber Composite Fire Door, Model: YHASFD90, When Installed in Plasterboard Partition

REPORT NUMBER 241203110GZC-001

TEST DATE(S) 2024-12-06

ISSUE DATE 2024-12-20

PAGES 34



Intertek Testing Services Shenchen Ltd. Guangzhou Branch

TTRF_AS 1530.4_b Effective date: 2024-9-27 © 2024 INTERTEK



CE/ISO Certificate







CERTIFICATE OF CONFORMITY

HX220102100168

GUANGDONG YOHOME DOOR CO., LTD. **Applicant**

Room201B Zijincheng Business Center, Xiaping West Road, Nanhai Address

District, Foshan, China 528200

GUANGDONG YOHOME DOOR CO., LTD. Manufacturer

Address Nanhai District, Foshan city, China 528200

WOODEN DOOR Product

Models

Trademark YOHOME

Test Standard(s) : EN 14351-1: 2006+A2: 2016.

The EUT described above has been tested in accordance with the relevant listed standard. This certificate is awarded following tests carried out on samples of the product referred to standard as above.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production. It is only valid in connection with the test report number: HX220102100168.








Shenzhen HX Detect Certification Co., Ltd.

2/F, bostai, building 22, Tangxi Yongli Industrial Zone, guxing community, Xixiang street, Bao'an District, Shenzhen

HOTLINE:0755-29116082 Email: huaxunprc@163.com Http://www.hx-lab.com





CERTIFICATE OF CONFORMITY OF QUALITY

MANAGEMENT SYSTEM CERTIFICATION

Registration No.: 93724Q0407R0S

This Is To Certify That The Quality Management System Of

Guangdong Yohome Industrial Co., LTD

Unified Social Credit Code: 91440608MACNRY8K4F

Registration Address: Workshop A 2, No. 280, Hefu Road, Hecheng Street, Gaoming District, Foshan City Production/Business Address: Workshop A 2, No. 280, Hefu Road, Hecheng Street, Gaoming District, Foshan

Quality Management System Complies With:

GB/T19001-2016/ISO9001:2015

Standard Scope:

Manufacture and sale of doors: Window sale

Date of issue: July 12th,2024 Expiry date: July 11th,2027

Holding this certificate organizations receive annual surveillance audits qualified. And administrative license valid state regulations

surveillance audit Zhongyang

Certification Co.Ltd

Approval of the second surveillance audit Zhongyang Certification Co.Ltd.

Approval of the third surveillance audit Zhongyang Certification Co.Ltd





Fel 020-84121103 Address: Room 2810, No. 159, Taohua Street, Guangzhou Avenue South . Haizhu District, Guangzhou City

















Certificatio

Verita

ureal

GUANGDONG YOHOME DOOR CO., LTD.

Workshop A-2, No. 280, Hefu Road, Hecheng Street, Gaoming District, 528500, Foshan City, Guangdong Province, China

Bureau Veritas Certification Holding (BVCH) certifies that the company has implemented a FSC™ product groups control system according to the Forest Stewardship Council™ certification system, in the above location and complies with the requirements of Standard:

FSC Chain of Custody Certification standard, Ref.: FSC-STD-40-004 V3-1

For its activities concerning:

Manufacturing and sales of doors and door frames, windows and window frames certified FSC 100%, FSC Mix. *

*Updated list of products & species on the FSC database (info.fsc.org)

Type of certification: Single

Original certification date: Certification start date: Expiration date: FSC Certificate code: Certificate No. / Version: Contract No: Issue date:

03-02-2025 03-02-2025 02-02-2030 BV-COC-212724 CN054041/1 24919960 06-02-2025



Nicolas MEY Signed on behalf of BVCH

The validity of this certification shall be verified on: info.fsc.org

Bureau Veritas Certification Holding - Tour ALTO, 4 place des saisons, 92400 COURBEVOIE - France: www.bureauveritas.com

Certification decision office: Bureau Veritas Certification China, Room 02, 9 / F, West Office Building 1, Oriental Economic and Trade City, Oriental Plaza, No. 1 East Chang'an Street, Dongcheng District, Beijing, P.R.C. 100738

Contracting office: Bureau Veritas Certification China A list of the products or services that are included in the scope of the certificate may be obtained on request to Bureau Veritas Certification. This certificate remains the property of Bureau Veritas Certification, all copies or reproductions and the certificate itself shall be returned or destroyed on Bureau Veritas certification request. All certificates not in Enelish

FSC CoC Certificate rev 8.2

August 17, 2023

FSC



Report No.: HX220102100169

1 of 9

Test Report

Applicant : GUANGDONG YOHOME DOOR CO., LTD.

Room201B Zijincheng Business Center, Xiaping West Road, Nanhai Address

District, Foshan, China 528200

Manufacturer GUANGDONG YOHOME DOOR CO., LTD. Address : Nanhai District, Foshan city, China 528200

The submitted sample and sample information was/were submitted and identified by/on

the behalf of the client

: WOODEN DOOR Sample name

Sample Model : YH888 : YOHOME Trademark

TEST INFORMATION

Date of Receipt : 2022-01-07

: 2022-01-07 to 2022-01-21 **Date of Test**

Date of Issue : 2022-01-21

Test Method : Please refer to the following page(s). : Please refer to the following page(s). Test Result(s)

Test Requested	Conclusion		
As specified by client, according to RoHS Directive 2011/65/EU with amendment (EU) 2015/863 to test Lead (Pb), Cadmium (Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs), Phthalates(DBP, BBP, DEHP, DIBP) in the submitted sample(s)	Pass		

Test/Witness Engineer

Approved & Authorized



Shenzhen HX Detect Certification Co., Ltd.

2/F, bostai, building 22, Tangxi Yongli Industrial Zone, guxing community, Xixiang street, Bao'an District, Shenzhen

> Tel: +86 755-29116082 Web: www.hx-lab.com

















Germany/France Certificate



Beteiligungszertifikat

Guangdong Yohome Door Co., Ltd. Shilong South Road CN-528200 Foshan

Kunden-Nr.:5687244 | Reg-Nr.:DE3661800364462

Hiermit bestätigen wir Ihnen die Beteiligung Ihrer Verpackungen inklusive Markennutzung bei unserem System für das Jahr 2022.

Die Vorlage dieses Zertifikats bei Ihren Kunden und Geschäftspartnern sorgt für Transparenz über die ordnungsgemäße Beteiligung Ihrer Verpackungen im Rahmen des VerpackG.



Haucke Schlüter Geschäftsführer (Sprecher)

Jörg Deppmeyer Geschäftsführer





Guangdong Yohome Door Co., Ltd.

One of Room 2108, Floor 21, Building 4, Jiabang International Finance Center, No 1, Shilong South Road, Guicheng Street, Nanhai District,

Foshan

MEMBERSHIP CERTIFICATE

2022

I, Laurent Berthuel, acting as Chairman of Léko, certify that company Guangdong Yohome Door Co., Ltd. is under contract with Léko SAS and is fulfilling its obligations for its household packaging Extended Producer Responsibility (EPR) for the year 2022 under Léko Membership number 1664891276822.

Unique Identification Number (UIN) for the household packaging sector: FR292259_01GTHK

This certificate is issued to serve the purpose it might be required.

Paris, « 10-10-2022 »


Laurent Berthuel Chairman

Léko - 1 rue de Stockholm 75008 PARIS - SAS au capital de 3 003 290 € - SIRET 823 308 820 000 39




Hotel Fire Door Series






BSI (E MRA




















H S



Model: Hetel door Series

Material: tree

Pass by: UL10b&10C、EN1634-1、EN1634-3、

BS476-22AS1530、AS1905

Application: Hotel







防火

防烟






Fire Door


The fire resistance performance of fire doors mainly depends on their fire resistance limit, which is divided into 30 minutes, 60 minutes, and 90 minutes














































Hotel Fire Door Series
























































































Gategory: Hotel fire doors Model: Hetel door Series

Material: tree

Pass by: UL10b&10C、EN1634-1、EN1634-3、

top view

BS476-22AS1530、AS1905

Application: Hotel


























Gategory: Hotel fire doors Model: Hetel door Series

Material: tree

Pass by: UL10b&10C、EN1634-1、EN1634-3、

BS476-22AS1530、AS1905

Application: Hotel








防烟
































Apartment Fire Door Series





Hospital Fire Door Series







































Fire Resistant

防火


























Gategory: Hotel fire doors Model: Hetel door Series

Material: tree

Pass by: UL10b&10C、EN1634-1、EN1634-3、


BS476-22AS1530、AS1905

Application: Hotel





Hospital Fire Door Series





Hospital Fire Door Series



































DOOR PROJECT CASES OVER THE WORLD



YDHDME

PROJECT CASES

The Shatt Al-Arab Residential City Project

VILLA+

Area Basra, Iraqi

Product 1. 433 sets of Entrance Doors

2. 4664 sets of Wooden Doors

The Shatt al-Arab residential city project is a huge project located in the Shatt al-Arab area of Iraq, which is part of the Iraqi government's efforts to develop infrastructure and provide housing for citizens.




Design And Implementation



Entrance Door



Bedroom Door(Pre-assembled)



Bathroom Door

PROJECT CASES

Mirvish Village Apartment Project


Apartment

Area Toronto, Ontario, Canada

Product 1. 936 sets of Wooden Fire Door

Mirvish Village is a new community of 100% purpose-built rental. integrates a new park and public market, an extensive public realm, micro-retail, 24 restored heritage buildings, unique restaurants and shops as well as numerous indoor and outdoor performance and gathering spaces.





UL 20min Wooden Fire Door





One style, multiple colors

PROJECT CASES

Nigeria Hotels And Apartment Project

Hotel+ & Apartment


Area Gaduwa, Abuja, Nigeria

Product 1.35 sets of Paint-free Wooden Doors

2. 511 sets of Composite Wooden Doors

Nigeria Hotels And Apartment Project covers customized wooden doors with different needs and sizes for multiple spaces in the hotel, as well as apartment doors and supporting bathroom doors. In addition, orders include interior doors for hotel gym&spa, service rooms and maintenance spaces.





1004
1008 SECULIARS

1004
1008 SECULIARS

Hotel Room Door

Gym&Spa Room Door

Service Room Door

PROJECT CASES RESORT


Vista Cana Residential Resort Project

Area Punta Cana, Bávaro, Dominican Republic


Product 1. 616 sets of Wooden Door

Vista Cana is a residential complex of harmonious spatial quality, modern architectural essence and smart living. We customize bedroom doors, bathroom doors, barn doors, even of wardrobe doors for them.





Wardrobe Door



Bedroom Door



Kitchen Pantry Door

PROJECT CASES RESORT

Sunrise Miches Beach Resort Project


Area

Miches 24000, Dominican Republic


Product

1. 400 sets of Wooden Fire Door

We not only provide multi-sized UL certified fire doors for Sunrise Miches Beach Resort Project, but also provide wall panels with the same door color panel according to customer needs.



Design And Implementation



Entrance Door (Right Hand Inswing)

Entrance Door (Left Hand Inswing)

PROJECT CASES HOTEL

Marasa Umubano Hotel Project

Area


Kamatamu, Kigali, Rwanda

Product

1. 113 sets of Wooden Door

2. 178 sets of Wooden Fire Door

The guest room doors of more than 100 guest rooms all adopt
American standard 45-minute fire doors with 35 decibels of
insulation. The door frame is equipped with anti-smoke strips, anticollision strips, door closers, automatic lifting strips and cat eyes.



UL FD45 min Hotel Room Door



Load the Container

PROJECT CASES

Porto Novo Condos Project


Residence+

Area Cabo San Lucas, Mexico


Product 1. 27 sets of Composite Wooden Door

2. 220 sets of Paint-free Wooden Door
Porto Novo is a new development located along the Cabo
Corridor in El Tezal with 178 2BR and 3BR luxury condominiums.
Each unit offers its residents amazing views of the city, Sea of
Cortez, or the on-site lagoon. We provide entire house doors for
their 32 units.





Main Access Door



Bedroom/Bathroom Door

PROJECT CASES HOTEL

Hyatt Place Hotel Project


Area Windsor, Ontario, Canada

Product 1. 111 sets of Wooden Door

2. 126 sets of Wooden Fire Door

Hyatt Hotels were founded more than 65 years. They consistently leading in the category. We provide Fire-rated doors for fire-rated door-room and other doors for other functional areas.





UL Fire-rated Door





Guest Kitchen Pocket Door

PROJECT CASES

Bahamas Commercial Properties Project

Commercial Office

Area Nassa

Nassau, Bahamas

Product


1. 149 sets of Steel-Wood Composite Door

2. Stainless Steel Doors


This is the project with the BRICKELL MANAGEMENT GROUP which stands as a beacon of innovation and excellence in the Bahamian real estate landscape. It spans across apartment rentals, commercial centers, storage and warehouse facilities, industrial parks, condominium developments, hotels, and condo hotels.

Design And Implementation





Steel-Wood Cpmposite Door



Stainless Steel Door

PROJECT CASES HOTEL

Uzbekistan Hotel Project

Area

Uzbekistan


Product

1. 87 sets of Composite Wooden Door


2. 69 sets of Wooden Fire Door

We contracted a wide range of doors in Uzbekistan Hotel. In addition to the FD30 minute Fire-rated Door, which is used as the hotel's room door, there are also doors for bathrooms, kitchens and bedrooms.





Wooden Fire-rated Door



Composite Wooden Door

PROJECT CASES

Kazakhstan School Door Project

School

Area

Kazakhstan

Product

1. 11 sets of Steel Fire-rated Door

2. 93 sets of Custom Wooden Door

customization includes European standard 60 minute galvanized steel fire doors. Interior doors with view windows or with louvers and baseboards. The feature of this project is that 15 kinds of door frames with mixed oil and different solid colors are matched with light-colored doors to make the school scene more vibrant.





Double/Single Steel Fire-rated Door



Custom Wooden Door

PROJECT CASES

Sugar Marina Hotel Project

Hotel


Area Phuket, Thailand

Product 1. 110 sets of European Standard 30

minute Fire Door

The project is located in a Stylish hotel on Kata Beach, Phuket. The customized European standard 30-minute fire door matches the hotel style with a double-sided design, which is more stylish.





European Standard 30-minute Fire Door



That Side Of the Room

PROJECT CASES

America Apartment Project

Apartment


Area United States

Product 1. 140 sets of Wooden Door

2. Steel Entry Door

The project is a low-floor apartment, including a steel entrance door and 140 sets of interior wooden doors. There are double doors, folding doors and pocket doors. Providing customers with pre-assembly services to save customers installation costs.





Double Folding Door



Double Door



Steel Entrance Door

PROJECT CASES

Canada Dwelling Units Project


Dwelling Units

Area Canada

Product 1. 232 sets of Wooden Fire Door

This is a project to customize American standard 20-minute wooden fire doors. All departments use high pressure laminate and provide adjustable galvanized steel door frames to adapt to different widths. According to the customer's needs, all the hardware is pre-assembled and shipped.









UL 20 min Wooden Fire Door

Pre-assembled Door

PROJECT CASES

Romania Hotel Project


Hotel

Area Romania


Product 1. 161 sets of Wooden Door

This is a custom door project for a hotel in Romania. The style of the door is simple but there are many categories of door frame sizes. Provide customers with matching wall panels and reserve house number holes on side wall panels as needed.





Wooden Door&Wall Panels



Barn door

Your A+ Doors Manufacturer.



Website



Instagram Facebook

