



yohomedoor.com



About Yohome Factory



Guangdong Yohome Door Co., Ltd.

High-End Custom Door Systems for Global Hospitality & Luxury Residences

Who We Are

- ✓ Manufacturer based in Foshan, China's building materials hub
- ✓ 23,000m² smart production base | 128+ skilled workers, engineers & global sales teams
- ✓ Serving 100+ hotels/residences across 30+ countries

Core Expertise

① Hospitality Solutions

Tumkey fire-rated door systems (60/90/120 mins) for star hotels/resorts

Themed door customization for luxury resorts

② Architectural Customization

PYTHA-compatible designs for villas/featured apartments

Fireproof & soundproof entrance solutions (35dB+ noise reduction)

③ Global Compliance

Certifications: UL (USA), CE (EU), BS-EN (UK), AS (Australia)

Fire doors tested by Intertek & ISO 9001 certified

Competitive Edge

✓ Triple Trust

ISO 9001 | FSC Sustainability | CE Environmental Standards

✓ Elite Collaboration

R&D partnerships with Fortune 500 construction firms

✓ Glocal Service

Multilingual project managers | On-site technical support



Total Quality. Assured.

Test Report

Report No.: 240112053GZC-001
Report Date: 2024-02-28

Horizontal Deflection (Positive values indicate movement into the furnace)

Time Mins	Door Frame Separation at Latch for Single Door (mm)	Maximum Pair Meeting Edge Displace- ment (mm)	Displacement perpendicular to door plane (mm)						
			D11	D12	D13	D14	D15	D16	D17
Deflection during fire endurance test:									
Initial	< 12.7	N/A	0	0	0	0	0	0	0
20	< 12.7	N/A	0	10	15	25	25	15	15
40	< 12.7	N/A	0	10	25	35	35	20	20
60	< 12.7	N/A	0	10	35	35	35	30	20
Requirement	< 12.7	N/A	Any portion of the edges adjacent to door frame shall not move more than the thickness of the door.						
Deflection after hose stream test:									
Hose Stream	< 12.7	N/A	< 82.5						
Requirement	< 12.7	N/A	Any portion of the edges adjacent to door frame shall not move more than the 1-1/2 times thickness of the door.						

Before Testing




Successful Test



Total Quality Assured.

Test Report
Report No.: 240112053GZC-001
Report Date: 2024-02-28


Furnace Pressure



Total Quality Assured.

Test Report
Report No.: 240112053GZC-001
Report Date: 2024-02-28

Graph for mean furnace temperature and temperature - time curve specified in the standard



Exposed Side During Hose Stream Test

Your A+ Doors Manufacturer



Total Quality. Assured.



This is a certificate of compliance to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed.

Certificate of Compliance

You have been awarded:

Intertek WH US + C Mark for Category B - Doors - Additional Edge-sealing System Required

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R:27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597301

Organization: Guangdong Yohome Door Co., Ltd.
Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center
No. 1, Shilong South Road, Guicheng Street, Nanhui District,
Foshan, Guangdong 528299
China

Product: YOHOME - 20 MINUTES WITH HOSE STREAM FIRE RATED DOOR (MODEL YH-01)

Spec ID: 77500

Fire Rating: 20 Min w/Hose Stream PP Cat B Door

Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc.

Initial registration: April 10, 2024

Date of expiry: December 31, 2026

Issue status: 3

Authorized By:

Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc.
545 E. Algonquin Road, Ste H, Arlington Heights, IL 60005 USA
Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

The certificate and schedule are held in force by regular annual surveillance visits by Intertek Testing Services NA, Inc. and the reader or user should contact Intertek to validate its status. This certificate remains the property of Intertek Testing Services NA, Inc. and must be returned to them on demand. This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification marks is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with this agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Total Quality. Assured.



Certificate of Compliance

You have been awarded:

Intertek WH US + C Mark for Category C - Proprietary Frames

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R:27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597302

Organization: Guangdong Yohome Door Co., Ltd.
Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center
No. 1, Shilong South Road, Guicheng Street, Nanhui District,
Foshan, Guangdong 528299
China

Product: YOHOME - 20 MINUTES WITH HOSE STREAM FIRE RATED DOOR FRAME (MODEL YH-01)

Spec ID: 77501

Fire Rating: 20 Min PP Category C Proprietary Frame

Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc.

Initial registration: April 10, 2024

Date of expiry: December 31, 2026

Issue status: 3

Authorized By:

Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc.
545 E. Algonquin Road, Ste H, Arlington Heights, IL 60005 USA
Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

The certificate and schedule are held in force by regular annual surveillance visits by Intertek Testing Services NA, Inc. and the reader or user should contact Intertek to validate its status. This certificate remains the property of Intertek Testing Services NA, Inc. and must be returned to them on demand. This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification marks is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



45 Min Fire Door Certificate



Certificate of Compliance



This is a certificate of compliance to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed.

You have been awarded:
Intertek WH US + C Mark for Category B - Doors - Additional Edge-sealing System Required

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R 27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597303

Organization: Guangdong Yohome Door Co., Ltd.
Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center
No. 1, Shilong South Road, Guicheng Street, Nanhai District,
Foshan, Guangdong 528299
China

Product: YOHOME - 45 MINUTES FIRE RATED DOOR (MODEL YH-04)
Spec ID: 77502
Fire Rating: 45 Min PP Category B Door
Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc.
Initial registration: April 10, 2024
Date of expiry: December 31, 2026
Issue status: 3

Authorized By: 
Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc.
545 E. Algonquin Road, Ste H, Arlington Heights, IL 60005 USA
Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

The certificate and schedule are held in trust by Intertek. Annual surveillance audits are performed by Intertek Testing Services NA, Inc. and the reader or user should contact Intertek to validate its status. This certificate remains the property of Intertek Testing Services NA, Inc. and must be returned to them on demand. This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purpose of production quality control and do not relieve the Client of their obligations in this respect.



Certificate of Compliance



You have been awarded:
Intertek WH US + C Mark for Category C - Proprietary Frames

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R 27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597304

Organization: Guangdong Yohome Door Co., Ltd.
Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center
No. 1, Shilong South Road, Guicheng Street, Nanhai District,
Foshan, Guangdong 528299
China

Product: YOHOME - 45 MINUTES FIRE RATED DOOR FRAME (MODEL YH-04)
Spec ID: 77503
Fire Rating: 45 Min PP Category C Proprietary Frame
Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc.
Initial registration: April 10, 2024
Date of expiry: December 31, 2026
Issue status: 3

Authorized By: 
Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc.
545 E. Algonquin Road, Ste H, Arlington Heights, IL 60005 USA
Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

The certificate and schedule are held in trust by Intertek Testing Services NA, Inc. and the reader or user should contact Intertek to validate its status. This certificate remains the property of Intertek Testing Services NA, Inc. and must be returned to them on demand. This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purpose of production quality control and do not relieve the Client of their obligations in this respect.



Total Quality. Assured.



Certificate of Compliance

You have been awarded:

Intertek WH US + C Mark for Category B - Doors - Additional Edge-sealing System Required

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597305

Organization: Guangdong Yohome Door Co., Ltd.
Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center
No. 1, Shilong South Road, Guicheng Street, Nanhui District,
Foshan, Guangdong 528299
China

Product: YOHOME - 60 MINUTES FIRE RATED DOOR (MODEL YH-02)
Spec ID: 77457
Fire Rating: 60 Min PP Category B Door
Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc.
Initial registration: April 10, 2024
Date of expiry: December 31, 2026
Issue status: 3

Authorized By:
Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc.
545 E. Algonquin Road, Ste H, Arlington Heights, IL 60005 USA
Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

The certificate and schedule are held in force by regular annual surveillance visits by Intertek Testing Services NA, Inc. and the reader or user should contact Intertek to validate its status. This certificate remains the property of Intertek Testing Services NA, Inc. and is not transferable. Intertek Testing Services NA, Inc. is the exclusive use of Intertek's Client and is not intended for use by a third party. Intertek Testing Services NA, Inc. and its Client's responsibility and liability are limited to the terms and conditions of the agreement. Intertek Testing Services NA, Inc. assumes no liability to any party, other than to its Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of this product, material, product or service must first be approved in writing by Intertek. Intertek Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Total Quality. Assured.

Certificate of Compliance

You have been awarded:

Intertek WH US + C Mark for Category C - Proprietary Frames

Standards: CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020), UL 10(c) (2016) Ed. 3 (R27 May 2021), NFPA 252 (2022)

Certificate number: WHI24-42597306

Organization: Guangdong Yohome Door Co., Ltd.
Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center
No. 1, Shilong South Road, Guicheng Street, Nanhui District,
Foshan, Guangdong 528299
China

Product: YOHOME - 60 MINUTES FIRE RATED DOOR FRAME
(MODEL YH-02)
Spec ID: 77499
Fire Rating: 60 Min PP Category C Proprietary Frame
Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc.
Initial registration: April 10, 2024
Date of expiry: December 31, 2026
Issue status: 3

Authorized By:
Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc.
545 E. Algonquin Road, Ste H, Arlington Heights, IL 60005 USA
Phone: 847-439-5667 Fax: 847-439-7320







www.intertek.com

The certificate and schedule are held in force by regular annual surveillance visits by Intertek Testing Services NA, Inc. and the reader or user should contact Intertek to validate its status. This certificate remains the property of Intertek Testing Services NA, Inc. and must be returned to them on demand. This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of this product, material, product or service must first be approved in writing by Intertek. Intertek Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purpose of production quality control and do not relieve the Client of their obligations in this respect.



Fire Door Label

FIRE RATED DOOR CERTIFICATES



FIRE RATED DOOR LABELS



FIRE RESISTANCE TEST REPORT

**DOUBLE-LEAF COMPOSITE TIMBER DOOR with TWO GLAZED ELEMENTS &
SINGLE-LEAF COMPOSITE TIMBER DOOR**

in accordance with **BS EN 1634-1: 2008**

Test Sponsor: **Guangdong Yohome Door Co., Ltd.**

Test Laboratory: **Forte Testing and Consultants Company Limited**

Contact Information:

Flat 31, 5/F., My Loft, 9 Hoi Wing Road,
Tuen Mun, Hong Kong.
Tel: 852-2152 0638 Fax: 852-3186 2737

Report Number: **IT19-176**

Date of Issue: **2020-01-08**

HKAS has accredited this laboratory (Reg. No. HOKLAS 191) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. The results shown in this report were determined by this laboratory in accordance with terms of accreditation. Opinions and interpretations expressed herein are outside the scope of HOKLAS accreditation. This report may not be reproduced, except in full, without prior written approval from FORTE.

HOKLAS Approved Signatory:

CHENG San Mei, Sammi

intertek
Total Quality. Assured.

GUANGDONG YOHOME DOOR CO., LTD **TEST REPORT**

SCOPE OF WORK

EN 1634-1:2014+A1:2018 Fire Resistance Testing on Single Leaf Single Action Timber Composite Fire Door, Model: YHENFD90, When Installed in Plasterboard Partition

REPORT NUMBER
241203110GZC-002

TEST DATE(S)
2024-12-06

ISSUE DATE
2025-08-01 **REVISED DATE**
/

PAGES
34



INTERTEK TESTING SERVICES SHENZHEN LTD.
Intertek Testing Services Shenzhen Ltd. Guangzhou Branch
TTRF_EN 1634-1_01b
Effective date: 2024-2-22
© 2024 INTERTEK



Total Quality. Assured.



GUANGDONG YOHOME DOOR CO., LTD TEST REPORT

SCOPE OF WORK

AS 1530.4: 2014 Fire Resistance Testing on Single Leaf Single Action Timber Composite Fire Door, Model: YHASFD60, When Installed in Plasterboard Partition and Opening into the Furnace

REPORT NUMBER
241018010GZC-001

TEST DATE(S)
2024-10-18

ISSUE DATE
2024-12-12

PAGES
29



Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

TTRF_AS 1530.4_b
Effective date: 2024-9-27
© 2024 INTERTEK



Total Quality. Assured.



GUANGDONG YOHOME DOOR CO., LTD TEST REPORT

SCOPE OF WORK

AS 1530.4: 2014 Fire Resistance Testing on Single Leaf Single Action Timber Composite Fire Door, Model: YHASFD90, When Installed in Plasterboard Partition

REPORT NUMBER
241203110GZC-001

TEST DATE(S)
2024-12-06

ISSUE DATE
2024-12-20

PAGES
34



Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

TTRF_AS 1530.4_b
Effective date: 2024-9-27
© 2024 INTERTEK



Australia Fire Door Certificate

STANDARDSMARK LICENCE



Intertek SAI Global hereby grants:

Guangdong Yohome Door Co., Ltd.

Room 2108-1, Floor 21, Building 4, Jiabang Guojin Center No. 1, Shilong South Road, Guicheng Street, Nanhai District, Foshan, Guangdong, 528299, China.

StandardsMark Licence

Manufactured to:

AS 1905.1:2015 - Components for the protection of openings in fire-resistant walls Part 1: Fire-resistant doorsets

This certification covers the fire performance of the doorset/s in accordance with AS 1905.1 as specified in the schedule on the following pages.

Installation requirements, operational provisions and project-specific compliance remain outside the scope of this certification.

"the StandardsMark Licensee" the right to use the STANDARDSMARK as shown below only in respect of the goods described and detailed in the Schedule which are produced by the Licensee or on behalf of the Licensee" and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the STANDARDSMARK and the Terms and Conditions for certification and licence. The Licensee covenants to comply with all the Rules and Terms and Conditions.

Certificate No:
SMK41578

Originally Certified:
30 September 2025

Current Certification
30 September 2025

Issued:

Expires:



Neil Evans

Rathin Grover
President, Business Assurance

SAI Global Certification Services P
Ltd.
Level 7 Suite 7.01 45 Clarence Str
Sydney NSW 2000 Australia



Member of the SGS Group (SGS SA)

Your A+ Doors Manufacturer



GUANGDONG YOHOME DOOR CO., LTD.

Workshop A-2, No. 280, Hefu Road, Hecheng Street, Gaoming District, 528500, Foshan City, Guangdong Province, China



Bureau Veritas Certification Holding (BVCH) certifies that the company has implemented a FSC™ product groups control system according to the Forest Stewardship Council™ certification system, in the above location and complies with the requirements of Standard:

FSC Chain of Custody Certification standard, Ref.: FSC-STD-40-004 V3-1

For its activities concerning:

Manufacturing and sales of doors and door frames, windows and window frames certified FSC 100%, FSC Mix. *

*Updated list of products & species on the FSC database (info.fsc.org)

Type of certification: Single

Original certification date:	03-02-2025
Certification start date:	03-02-2025
Expiration date:	02-02-2030
FSC Certificate code:	BV-COC-212724
Certificate No. / Version:	CN054041/1
Contract No:	24919960
Issue date:	06-02-2025

Nicolas MEY
Signed on behalf of BVCH

The validity of this certification shall be verified on: info.fsc.org
This certificate does not constitute evidence that a particular product supplied by the certificate holder is FSC-certified or FSC Controlled Wood. Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on sales and delivery documents.

Bureau Veritas Certification Holding - Tour ALTO, 4 place des saisons, 92400 COURBEVOIE - France: www.bureauveritas.com

Certification decision office: Bureau Veritas Certification China, Room 02, 9/F, West Office Building 1, Oriental Economic and Trade City, Oriental Plaza, No. 1 East Chang'an Street, Dongcheng District, Beijing, P.R.C. 100738

Contracting office: Bureau Veritas Certification China
A list of the products or services that are included in the scope of the certificate may be obtained on request to Bureau Veritas Certification. This certificate remains the property of Bureau Veritas Certification, all copies or reproductions and the certificate itself shall be returned or destroyed on Bureau Veritas certification request. All certificates not in English are for reference only

FSC CoC Certificate rev 8.2

1/1



August 17, 2023



Report No.: HX220102100169
Page: 1 of 9

Test Report

Applicant : GUANGDONG YOHOME DOOR CO., LTD.
Address : Room201B Zijincheng Business Center, Xiaping West Road, Nanhai District, Foshan, China 528200
Manufacturer : GUANGDONG YOHOME DOOR CO., LTD.
Address : Nanhai District, Foshan city, China 528200

The submitted sample and sample information was/were submitted and identified by/on the behalf of the client

Sample name : WOODEN DOOR
Sample Model : YH888
Trademark : YOHOME

TEST INFORMATION

Date of Receipt : 2022-01-07
Date of Test : 2022-01-07 to 2022-01-21
Date of Issue : 2022-01-21
Test Method : Please refer to the following page(s).
Test Result(s) : Please refer to the following page(s).

Test Requested	Conclusion
As specified by client, according to RoHS Directive 2011/65/EU with amendment (EU) 2015/863 to test Lead (Pb), Cadmium (Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs), Phthalates(DBP, BBP, DEHP, DIBP) in the submitted sample(s)	Pass

Test/Witness Engineer



Approved & Authorized



Shenzhen HX Detect Certification Co., Ltd.
2/F, bostai, building 22, Tangxi Yongli Industrial Zone, guxing community, Xixiang street, Bao'an District, Shenzhen
Tel: +86 755-29116082 Web: www.hx-lab.com

Your A+ Doors Manufacturer



Beteiligungsztifikat

Guangdong Yohome Door Co., Ltd.
Shilong South Road
CN-528200 Foshan

Kunden-Nr.:5687244 | Reg-Nr.:DE3661800364462

Hiermit bestätigen wir Ihnen die Beteiligung Ihrer Verpackungen inklusive Markennutzung bei unserem System für das Jahr 2022.

Die Vorlage dieses Zertifikats bei Ihren Kunden und Geschäftspartnern sorgt für Transparenz über die ordnungsgemäße Beteiligung Ihrer Verpackungen im Rahmen des VerpackG.



Hande Schlüter

Haucke Schlüter
Geschäftsführer (Sprecher)

Jörg Deppmeyer

Jörg Deppmeyer
Geschäftsführer



Guangdong Yohome Door Co., Ltd.

One of Room 2108, Floor 21, Building 4, Jiabang International Finance Center, No 1, Shilong South Road, Guicheng Street, Nanhai District, 528200 Foshan CN

MEMBERSHIP CERTIFICATE

2022



I, Laurent Berthuel, acting as Chairman of Léko, certify that company Guangdong Yohome Door Co., Ltd. is under contract with Léko SAS and is fulfilling its obligations for its household packaging Extended Producer Responsibility (EPR) for the year 2022 under Léko Membership number 1664891276822.

Unique Identification Number (UIN) for the household packaging sector:
FR292259_01GTHK

This certificate is issued to serve the purpose it might be required.


Paris, « 10-10-2022 »

Laurent Berthuel
Chairman





Hotel Fire Door Series



Structure: 1. Door Leaf: Plywood + Fireproof Board + Oak Keel & Perlite Board Filling + Fireproof Board + Plywood

2. Door Frame: Plywood + Fireproof Strip + Plywood + Fireproof Board + Plywood Base Plate + Fireproof Board

3. Door Casing: Plywood + Plywood Card Strip

Fire-Rated Standard: CAN、ULC、UL10B& 10C、EN1634-1、BS476-22、AS1530.4、AS1905.1、AS16034



Fire Resistant



Smoke Resistant



Thermal Resistant

防火

防烟


隔热



Hotel Fire Door Series


Fire Door

The fire resistance performance of fire doors mainly depends on their fire resistance limit, which is divided into 30 minutes, 60 minutes, and 90 minutes










Hotel Fire Door Series





Hotel Fire Door Series










Apartment Fire Door Series




Fire Certificated Firproofstrip



Fire Certificated Cover





Fire Certificated Door stopper





Apartment Fire Door Series



Structure: 1. Door Leaf: Plywood+Fireproof Board+Flame Retardant Plywood Keel&Perlite Board Filling+Fireproof Board+Plywood

2. Frame: Galvanized Steel Door Frame

Fire-Rated Standard: CAN、ULC、UL10B& 10C、EN1634-1、

BS476-22、AS1530.4、AS1905.1、AS16034


Fire Resistant



Smoke Resistant




Thermal Resistant



防火

防烟

隔热





BSI **CE**



Apartment Fire Door Series

303



AB-5

303



AB-6

303



AB-7

303




AB-8

Apartment Door Series



Apartment Fire Door Series

303



Apartment Door Series

303



Apartment Door Series

303



AE-17



AE-18



303


AE-19



AE-20



Apartment Door Series



Fire Certificated Door Hinges



Fire Certificated Lockset




Fire Certificated Door Frame



Fire Certificated Door stopper




Fire Certificated Electronic



Fire Certificated Firproofstrip



Fire Certificated Cover



Fire Resistant

防火



Thermal Resistant

隔热




Smoke Resistant

防烟



Sound Proofing

隔音



90 Minutes Fire Rated Door

Structure: 1. Door Leaf: Plywood+Fireproof Board+Flame Retardant Plywood Keel&Fireproof Perlite Board Filling+Fireproof Board+Plywood
 2. Door Frame: Plywood+Fireproof Strip+Plywood+Fireproof Board+Plywood Base Plate+Fireproof Board
 3. Door Casing: Plywood+Plywood Card Strip
 Fire-Rated Standard: CAN、ULC、UL10B& 10C、EN1634-1、BS476-22、AS1530.4、AS1905.1、AS16034



Fire Resistant



Smoke Resistant



Thermal Resistant










Hospital Fire Door Series




Hospital Door Series





DOOR PROJECT CASES OVER THE WORLD



The Shatt Al-Arab Residential City Project

Area | Basra , Iraqi


Product |

1. 433 sets of Entrance Doors
2. 4664 sets of Wooden Doors

The Shatt al-Arab residential city project is a huge project located in the Shatt al-Arab area of Iraq, which is part of the Iraqi government's efforts to develop infrastructure and provide housing for citizens.



Design And Implementation



Entrance Door



Bedroom Door(Pre-assembled)



Bathroom Door

Mirvish Village Apartment Project


Area | Toronto, Ontario, Canada

Product | 1. 936 sets of Wooden Fire Door

Mirvish Village is a new community of 100% purpose-built rental. integrates a new park and public market, an extensive public realm, micro-retail, 24 restored heritage buildings, unique restaurants and shops as well as numerous indoor and outdoor performance and gathering spaces.



Design And Implementation



UL 20min Wooden Fire Door



One style, multiple colors

Hotel+ & Apartment


Area | Gaduwa, Abuja, Nigeria

Product | 1.35 sets of Paint-free Wooden Doors
2. 511 sets of Composite Wooden Doors


Nigeria Hotels And Apartment Project covers customized wooden doors with different needs and sizes for multiple spaces in the hotel, as well as apartment doors and supporting bathroom doors. In addition, orders include interior doors for hotel gym&spa, service rooms and maintenance spaces.



Design And Implementation



Hotel Room Door



Gym&Spa Room Door



Service Room Door

Vista Cana Residential Resort Project


Area | Punta Cana, Bávaro, Dominican Republic

Product | 1. 616 sets of Wooden Door

Vista Cana is a residential complex of harmonious spatial quality, modern architectural essence and smart living. We customize bedroom doors, bathroom doors, barn doors, even of wardrobe doors for them.




Design And Implementation



Wardrobe Door



Bedroom Door



Kitchen Pantry Door





Sunrise Miches Beach Resort Project



Area | Miches 24000, Dominican Republic
 Product | 1. 400 sets of Wooden Fire Door

We not only provide multi-sized UL certified fire doors for Sunrise Miches Beach Resort Project, but also provide wall panels with the same door color panel according to customer needs.

Design And Implementation



Entrance Door (Right Hand Inswing)



Entrance Door (Left Hand Inswing)




Marasa Umubano Hotel Project

Area | Kamatamu, Kigali, Rwanda

Product | 1. 113 sets of Wooden Door
2. 178 sets of Wooden Fire Door

The guest room doors of more than 100 guest rooms all adopt American standard 45-minute fire doors with 35 decibels of insulation. The door frame is equipped with anti-smoke strips, anti-collision strips, door closers, automatic lifting strips and cat eyes.

Design And Implementation



UL FD45 min Hotel Room Door



Load the Container

Porto Novo Condos Project


Area | Cabo San Lucas, Mexico

Product | 1. 27 sets of Composite Wooden Door
2. 220 sets of Paint-free Wooden Door

Porto Novo is a new development located along the Cabo Corridor in El Tezal with 178 2BR and 3BR luxury condominiums. Each unit offers its residents amazing views of the city, Sea of Cortez, or the on-site lagoon. We provide entire house doors for their 32 units.



Design And Implementation



Main Access Door



Bedroom/Bathroom Door

Hyatt Place Hotel Project

Area | Windsor, Ontario, Canada

Product | 1. 111 sets of Wooden Door
2. 126 sets of Wooden Fire Door

Hyatt Hotels were founded more than 65 years. They consistently leading in the category. We provide Fire-rated doors for fire-rated door-room and other doors for other functional areas.



Design And Implementation



UL Fire-rated Door



Guest Kitchen Pocket Door


Commercial Office

Area | Nassau, Bahamas


Product | 1. 149 sets of Steel-Wood Composite Door
2. Stainless Steel Doors

This is the project with the BRICKELL MANAGEMENT GROUP which stands as a beacon of innovation and excellence in the Bahamian real estate landscape. It spans across apartment rentals, commercial centers, storage and warehouse facilities, industrial parks, condominium developments, hotels, and condo hotels.

Design And Implementation



Steel-Wood Composite Door



Stainless Steel Door



Uzbekistan Hotel Project


Area | Uzbekistan

Product	1. 87 sets of Composite Wooden Door 2. 69 sets of Wooden Fire Door
---------	---


We contracted a wide range of doors in Uzbekistan Hotel. In addition to the FD30 minute Fire-rated Door, which is used as the hotel's room door, there are also doors for bathrooms, kitchens and bedrooms.



Design And Implementation



Wooden Fire-rated Door



CDI 5% 65 1 & 1 / 215) 6%

Kazakhstan School Door Project

Area | Kazakhstan

Product | 1. 11 sets of Steel Fire-rated Door
2. 93 sets of Custom Wooden Door

Customization includes European standard 60 minute galvanized steel fire doors. Interior doors with view windows or with louvers and baseboards. The feature of this project is that 15 kinds of door frames with mixed oil and different solid colors are matched with light-colored doors to make the school scene more vibrant.



Design And Implementation



Double/Single Steel Fire-rated Door



Custom Wooden Door


Sugar Marina Hotel Project

Area Phuket, Thailand

Product | 1. 110 sets of European Standard 30 minute Fire Door

The project is located in a Stylish hotel on Kata Beach, Phuket. The customized European standard 30-minute fire door matches the hotel style with a double-sided design, which is more stylish.

Design And Implementation



European Standard 30-minute Fire Door



That Side Of the Room



America Apartment Project


Area | United States

Product | 1. 140 sets of Wooden Door
2. Steel Entry Door

The project is a low-floor apartment, including a steel entrance door and 140 sets of interior wooden doors. There are double doors, folding doors and pocket doors. Providing customers with pre-assembly services to save customers installation costs.



Design And Implementation



Double Folding Door



Double Door



Steel Entrance Door

Canada Dwelling Units Project


Area | Canada

Product | 1. 232 sets of Wooden Fire Door

This is a project to customize American standard 20-minute wooden fire doors. All departments use high pressure laminate and provide adjustable galvanized steel door frames to adapt to different widths. According to the customer's needs, all the hardware is pre-assembled and shipped.



Design And Implementation



UL 20 min Wooden Fire Door




Pre-assembled Door

Area Romania


Product | 1. 161 sets of Wooden Door

This is a custom door project for a hotel in Romania. The style of the door is simple but there are many categories of door frame sizes. Provide customers with matching wall panels and reserve house number holes on side wall panels as needed.

Design And Implementation



Wooden Door&Wall Panels



Barn door

Hotel

Area | California, America

Product | 1. 293 sets of Wooden Door
2. 178 sets of Fire-rated Door

From guest room wooden doors, paint-free fire doors to 90-minute steel fire doors, we provide a full scene door system for Marriott hotels: customized wardrobe folding doors, fire doors in guest rooms, corridor visual window fire doors, safety doors with escape push rods... All fire doors comply with US standards.

SpringHill Suites Hotel Project



Design And Implementation



UL 45 min Paint-free Fire Door



UL 90 min Metal Fire Door



Closet Door

Sofitel Jabal Omar Makkah Hotel Project

Area | Saudi Arabia


Product |

1. 1513 sets of Wooden Fire Door
2. 83 sets of Composite Wooden Door


Sofitel Jabal Omar Makkah Hotel is a new, yet-to-open hotel project in Saudi Arabia, scheduled to open in 2026. It will be the world's largest Sofitel, with 1,141 rooms and suites across two towers.




Design And Implementation



UL 45 min Wooden Fire Door



UL 90 min Wooden Fire Door with 38 dB Sound Isolation



UL 90 min Wooden Fire Door with 38 dB Sound Isolation

The Sleepers Villa Project

Area | Perth, Scotland

Product |

1. Interior Wooden Door
2. Baseboard throughout the house


The project includes multiple sets of custom-made interior wooden doors and baseboards throughout the three detached villas. These include wooden doors with glass and double wooden doors.




Design And Implementation



Wooden Door with Glass



Interior Wooden Door



Double Wooden Door

Local Brand Showroom Project

Area | California, America


Product |

1. Pivot Door
2. Flush Door
3. Aluminum Frame Concealed Door


This is an OEM project for a brand. The client has currently ordered a selection of doors for use in their showroom.




Design And Implementation



Wooden Pivot Entrance Door



Aluminum Frame Concealed Door



Double Wooden Door

Jamaican Townhouses Project

Area | Saint Ann, Jamaican

Product |

1. Stainless Steel Entrance Door
2. 243 sets of Interior Wooden Door

The project is located in a upscale gated community along the coast. We provided them with custom doors that both fit the project's style and offer durability.




Design And Implementation



Stainless Steel Entrance Door



Barn Door



Bifold Door

Dominican Showroom Project

Area | Dominican Republic


Product |

1. Wooden Fire Door
2. Interior Door
3. Metal Door


This is an OEM project for a brand. These include fire doors for hotels and apartments, as well as interior doors of various styles and types.




Design And Implementation



Wooden Entrance door



UL 45 min Wooden Fire Door




Wooden Door

Your A+ Doors Manufacturer.



Website



Instagram



Facebook